



- NOTES:
- 1) MATERIAL: 7050-T7451 OR -T7651 ALUMINUM PLATE  
PER AMS 4050 (T7451) OR  
PER AMS 4201 (T7651)  
REF DART SPEC M7050-T7451-P4.50X6.25X10.50 OR  
REF DART SPEC M7050-T7651-P4.50X6.25X10.50
  - 2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1  
PRIME PER DART QSI 005 4.2.1.3.3 (FLOAT SKIDTUBE PRIMER)
  - 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
  - 4) UNITS: INCHES UNLESS OTHERWISE NOTED
  - 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
  - 6) IDENTIFICATION: IDENTIFY WITH DART P/N AND S/N PER QSI 044 6.3  
USE MAX DEPTH 0.010 WITH MIN TOOL RAD OF 0.010  
ENGRAVE BOTH SIDES
  - 7) WEIGHT: 3.76 lbs
  - 8) ENGRAVE DART LOGO AS SHOWN USE MAX DEPTH OF 0.010  
WITH A MIN TOOL RAD OF 0.010, ENGRAVE BOTH SIDES
  - 9) ALL NON DIMENSIONED FEATURES PER CAD FILE "D5571-1-REVA.STP"

PRELIMINARY ISSUE

APPROVED

A	NEW ISSUE		ZF	17.11.30
REV.	DESCRIPTION		BY	DATE
DESIGN	AJS	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA		
DRAWN	ZF			
CHECKED	MW	DRAWING NO. REV. A8		
MFG. APPR.	JFS	D5571 SHEET 1 OF 4		
APPROVED	NO	TITLE SCALE		
DE APPR.	CP	SADDLE (EC130) NTS		
DATE	17.11.30	COPYRIGHT © 2017 BY DART AEROSPACE LTD <small>THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>		





